



RFV 4000



technical specifications

Equipment Weights & Dimensions

Structure Weight	10,500 kg
Operating Weight	17,000 kg
Unit Length	4,914 mm
Unit Width	2,350 mm
Unit Height	3,347 mm
Footprint Area	11.55 m ²
Deck Loading	1,472 kg/m ²

Operating Flow Capacity

Maximum Flow Rate 2 x 24 m³/h

Pressure & Temperatures

Design Pressure 250 psi
 Design Temperature 0°C - 50°C

Vessels

Filter Vessel Size 48"
 Canister Size 11" x 11"
 Canister Quantity per Vessel 55
 Sock Quantity per Vessel 5

WATER TREATMENT








CETCO
OILFIELD
SERVICES
COMPANY

UK +44(0)1224 787340
 Malaysia +603 216 206 95
 Middle East +968 245 80219
 Africa +44(0)791 783 8316
 Australia +61(0) 893 160122

www.cetcooilfieldservices.com

CONTAINER	NO. OF CONTAINERS	NO. OF ELEMENTS
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9
10	10	10
11	11	11
12	12	12
13	13	13
14	14	14
15	15	15
16	16	16
17	17	17
18	18	18
19	19	19
20	20	20
21	21	21
22	22	22
23	23	23
24	24	24
25	25	25
26	26	26
27	27	27
28	28	28
29	29	29
30	30	30
31	31	31
32	32	32
33	33	33
34	34	34
35	35	35
36	36	36
37	37	37
38	38	38
39	39	39
40	40	40
41	41	41
42	42	42
43	43	43
44	44	44
45	45	45
46	46	46
47	47	47
48	48	48
49	49	49
50	50	50
51	51	51
52	52	52
53	53	53
54	54	54
55	55	55
56	56	56
57	57	57
58	58	58
59	59	59
60	60	60
61	61	61
62	62	62
63	63	63
64	64	64
65	65	65
66	66	66
67	67	67
68	68	68
69	69	69
70	70	70
71	71	71
72	72	72
73	73	73
74	74	74
75	75	75
76	76	76
77	77	77
78	78	78
79	79	79
80	80	80
81	81	81
82	82	82
83	83	83
84	84	84
85	85	85
86	86	86
87	87	87
88	88	88
89	89	89
90	90	90
91	91	91
92	92	92
93	93	93
94	94	94
95	95	95
96	96	96
97	97	97
98	98	98
99	99	99
100	100	100



NOTES
 1. This document is property of Colloid Environmental Technologies Company (CETCO) and contains confidential information belonging to CETCO. It is not to be reproduced, copied, disclosed, or used in any manner without the prior written consent of CETCO.

REVISED
 1. 11/11/11
 2. 11/11/11
 3. 11/11/11
 4. 11/11/11
 5. 11/11/11
 6. 11/11/11
 7. 11/11/11
 8. 11/11/11
 9. 11/11/11
 10. 11/11/11
 11. 11/11/11
 12. 11/11/11
 13. 11/11/11
 14. 11/11/11
 15. 11/11/11
 16. 11/11/11
 17. 11/11/11
 18. 11/11/11
 19. 11/11/11
 20. 11/11/11
 21. 11/11/11
 22. 11/11/11
 23. 11/11/11
 24. 11/11/11
 25. 11/11/11
 26. 11/11/11
 27. 11/11/11
 28. 11/11/11
 29. 11/11/11
 30. 11/11/11
 31. 11/11/11
 32. 11/11/11
 33. 11/11/11
 34. 11/11/11
 35. 11/11/11
 36. 11/11/11
 37. 11/11/11
 38. 11/11/11
 39. 11/11/11
 40. 11/11/11
 41. 11/11/11
 42. 11/11/11
 43. 11/11/11
 44. 11/11/11
 45. 11/11/11
 46. 11/11/11
 47. 11/11/11
 48. 11/11/11
 49. 11/11/11
 50. 11/11/11
 51. 11/11/11
 52. 11/11/11
 53. 11/11/11
 54. 11/11/11
 55. 11/11/11
 56. 11/11/11
 57. 11/11/11
 58. 11/11/11
 59. 11/11/11
 60. 11/11/11
 61. 11/11/11
 62. 11/11/11
 63. 11/11/11
 64. 11/11/11
 65. 11/11/11
 66. 11/11/11
 67. 11/11/11
 68. 11/11/11
 69. 11/11/11
 70. 11/11/11
 71. 11/11/11
 72. 11/11/11
 73. 11/11/11
 74. 11/11/11
 75. 11/11/11
 76. 11/11/11
 77. 11/11/11
 78. 11/11/11
 79. 11/11/11
 80. 11/11/11
 81. 11/11/11
 82. 11/11/11
 83. 11/11/11
 84. 11/11/11
 85. 11/11/11
 86. 11/11/11
 87. 11/11/11
 88. 11/11/11
 89. 11/11/11
 90. 11/11/11
 91. 11/11/11
 92. 11/11/11
 93. 11/11/11
 94. 11/11/11
 95. 11/11/11
 96. 11/11/11
 97. 11/11/11
 98. 11/11/11
 99. 11/11/11
 100. 11/11/11

CETCO SERIAL No:
3097-01

SKID MAWP:
100PSI @ 50°C

cetcofieldservices.com

