



RM-10[®] LMR-1

technical specifications

Description

RM-10 LMR-1 is a heavy metal precipitant used to remove metals from wastewater. It is a water soluble liquid.

Benefits

- Effective over a wide pH range
- Provides nearly complete precipitation of metals
- Precipitates all metals with equal effectiveness
- Precipitation occurs even in the presence of chelating or sequestering agents
- Sludge cake produced is compact, highly insoluble and easily dewatered
- In most cases sludge passes TCLP
- Economical and easy to use

CHARACTERISTICS

Density at 25°C (77°F)	1.17 g/cm ³
Weight per US gallon	9.7 lbs
Volume per pound	390 ml
Volume per kilogram	855 ml
pH	11
pH (100 ppm in water)	7-8
Flash point	>100°C (212°F)

The information and data contained herein are believed to be accurate and reliable. CETCO OILFIELD SERVICES COMPANY makes no warranty of any kind and accepts no responsibility for the results obtained through application of this information. REV 7/08

Storage & Handling

RM-10 LMR-1 has a shelf life of approximately 1 year. It should be stored at temperatures 35-90°F

Packaging

RM-10 LMR-1 is supplied in 55 gallon (525 lb) drums and 275 gallon (2625 lb) totes

WATER TREATMENT | PIPELINE | WELL TESTING | WASTEWATER | RENTALS | NITROGEN | REELED TUBING



CETCO
OILFIELD
SERVICES
COMPANY

800.527.9948

www.cetcooilfieldservices.com